EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	932	(substitut$5 alternativ$4) with less near2 power	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:20
S2	1	(substitut$5 alternativ$4) with less near2 power same I$1O	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:43
S3	89	(substitut$5 alternativ$4) with less near2 power same (lcd$1 monitor$1 display$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:24
S4	54	(substitut$5 alternativ$4) with less near2 power with (lcd$1 monitor$1 display$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:26
S5	233	(substitut$5 alternativ$4 second$4) with less near2 power with (lcd$1 monitor$1 display$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:27
S6	48	(substitut$5 alternativ$4 second$4) with less near2 power with (lcd$1 monitor$1 display$1) and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:32
S7	3	(substitut$5 alternativ$4 secondary) with less near2 power with (lcd$1 monitor$1 display$1) and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 11:49
S8	55	(substitut$5 alternativ$4 secondary) near2 (lcd$1 monitor$1 display$1) same power and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 12:37
S9	4173	batter$5 near5 level$1 with (substitut$5 alternat$6 second$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 12:39
S10	56	batter$5 near5 level$1 with (substitut$5 alternat$6 second$4) and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:15
S11	37	identif$5 near4 (low$3 reduc$5) near2 power and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:15
S12	3596	(substitut$5 alternativ$4 different second$4 $2other) and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:46

S13	2645	(substitut$5 alternativ$4 different second$4 $2other) with power and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:47
S14	795	(substitut$5 alternativ$4 different second$4 $2other) with power near3 (less reduc$4 minim$4) and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:50
S15	181	(substitut$5 alternativ$4 different second$4 $2other) with power near3 (less reduc$4 minim$4) same (input output) and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:57
S16	111	(substitut$5 alternativ$4 different second$4 $2other) with (consum$5 uses require$3) near3 power near3 (less reduc$4 minim$4) same (input output) and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 13:58
S17	4	(substitut$5 alternativ$4 different second$4 $2other) with (consum$5 uses require$3) near3 power near3 (less reduc$4 minim$4) same (input output) and 713/32$. ccls. and (substitut$5 alternativ$4 different second$4 $2other).ti.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 14:00
S18	12	(substitut$5 alternativ$4 different second$4 $2other) with (consum$5 uses require$3) near3 power near3 (less reduc$4 minim$4) and 713/32$.ccls. and (substitut$5 alternativ$4 different second$4 $2other).ti.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:04
S19	671	(forecast$4 predict$4 estimat$4) and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:08
S20	315	(forecast$4 predict$4 estimat$4) near5 (power energy) and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:10

EAST Search History

S21	17	(forecast$4 predict$4 estimat$4) near5 (power energy) near4 (I$1O input output input$1output) and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:13
S22	6	(forecast$4 predict$4 future) near5 (power energy) near4 (I$1O input output input$1output) and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:17
S23	50	("5657257" "5808881" "5987613" "6198262" "6000829" "5410711" "5708819" "5953536" "5961617" "6088806" "5446322" "5566340" "5612639" "5742833" "5767844" "5770955" "5821924" "5877956" "5919263" "6098175" "6119237" "6175774" "6201977" "4781119" "4841946" "5016219" "5241680" "5333152" "5345164" "5355077" "5383340" "5396636" "5430641" "5452277" "5497494" "5506573" "5513359" "5545935" "5577220" "5585792" "5587672" "5590342" "5634351" "5635825" "5664203" "5801894" "5809313" "5809223" "5862393" "5925129").pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:21

| S24 | 26 | ("5657257" "5808881" "5987613" "6198262" "6000829" "5410711" "5708819" "5953536" "5961617" "6088806" "5446322" "5566340" "5612639" "5742833" "5767844" "5770955" "5821924" "5877956" "5919263" "6098175" "6119237" "6175774" "6201977" "4781119" "4841946" "5016219" "5241680" "5333152" "5345164" "5355077" "5383340" "5396636" "5430641" "5452277" "5497494" "5506573" "5513359" "5545935" "5577220" "5585792" "5587672" "5590342" "5634351" "5635825" "5664203" "5801894" "5809313" "5809223" "5862393" "5925129").pn. and 713/3$.ccls. | US-PGPUB ; USPAT; EPO; JPO | OR | OFF | 2007/12/17 15:35 |

S25	6	("5657257" "5808881" "5987613" "6198262" "6000829" "5410711" "5708819" "5953536" "5961617" "6088806" "5446322" "5566340" "5612639" "5742833" "5767844" "5770955" "5821924" "5877956" "5919263" "6098175" "6119237" "6175774" "6201977" "4781119" "4841946" "5016219" "5241680" "5333152" "5345164" "5355077" "5383340" "5396636" "5430641" "5452277" "5497494" "5506573" "5513359" "5545935" "5577220" "5585792" "5587672" "5590342" "5634351" "5635825" "5664203" "5801894" "5809313" "5809223" "5862393" "5925129").pn. and model	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:43
S26	6	usage adj model and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/17 15:44
S27	11	usage adj model$1 and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 09:55
S28	80	profile$4 near3 (device$1 peripheral$1) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:19
S29	35	profile$4 near3 (device$1 peripheral$1) and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:07
S30	32	select$4 near4 usage and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:08
S31	15	profile$4 near3 (devices peripheral) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:19

S32	14	profile$4 near3 (devices peripherals) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:19
S33	221	profile$4 near3 (devices peripherals) same batter$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:19
S34	2	profile$4 near3 (devices peripherals) same batter$4 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:26
S35	1	profile$4 near3 (devices peripherals) same batter$4 near3 (level$1 threshold$1)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:26
S36	1	profile$4 near5 (devices peripherals) same batter$4 near3 (level$1 threshold$1)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:26
S37	2	profile$4 near5 (devices peripherals) same batter$4 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:26
S38	609	ranganathan.in.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:27
S39	102	ranganathan.in. and profil$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:27
S40	31	ranganathan.in. and profil$4. clm.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:27
S41	7	ranganathan.in. and profil$4. clm. and g06f$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:42
S42	797	(alternat$6 second$4) near3 indicat$5 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:53
S43	7097	(alternat$6 second$4) near3 indicat$5 same batter$4and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:53
S44	72	(alternat$6 second$4) near3 indicat$5 same batter$4 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:53
S45	35	(alternat$6 second$4) near3 indicat$5 same batter$4 and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:54

12/19/07 11:08:19 AM
C:\Documents and Settings\mconnolly\My Documents\EAST\Workspaces\10\10830217RCE1 - substitute high power device with lower pow

Page 6

S46	407	(alternat$6 second$4) near3 indicat$5 and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:54
S47	199	(alternat$6 second$4) near3 indicat$5 same power and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:56
S48	31	(alternat$6 second$4) near3 indicat$5 same (less reduc$5) near2 power and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 10:57
S49	75	(alternat$6 second$4) near3 (indicat$5 display$1) same (less reduc$5) near2 power and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 11:01
S50	0	(alternat$6 second$4) near3 (indicat$5 display$1) same uder$1 same (less reduc$5) near2 power and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 11:02
S51	10	(alternat$6 second$4) near3 (indicat$5 display$1) same user$1 same (less reduc$5) near2 power and 713/32$. ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 11:02
S52	153	profil$4 near5 (devices peripherals components) same power and g06f$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:43
S53	25	profil$4 near5 (devices peripherals components) same power and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:44
S54	60	(profil$4 analy$4) near5 (devices peripherals components) same power and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:45
S55	14	(profil$4 analy$4) near5 (devices peripherals components) same power same (input output input$1output I$1O) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:57
S56	0	oprescu.in. and budget	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 12:58

12/19/07 11:08:19 AM
C:\Documents and Settings\mconnolly\My Documents\EAST\Workspaces\10\10830217RCE1 - substitute high power device with lower pow

Page 7

S57	3	oprescu.in. and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 13:15
S58	12	suspend$4 near5 (most near2 power) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 16:32
S59	14	(suspend$4 disabl$4) near5 (most near2 power) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 13:16
S61	33	(consum$4 requir$4 wast$4) near3 most adj power and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 16:33
S62	9	("5557557" | "5598565" | "5619707" | "5796391" | "6339417" | "6345364" | "6772355" | "6810482").PN. OR ("6912664").URPN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2007/12/18 16:48
S63	1	"6801811".pn.	US-PGPUB ; USPAT; USOCR	OR	OFF	2007/12/18 16:47
S64	7	("5365487" | "5598565" | "5619707" | "5796391" | "6339417").PN. OR ("6801811").URPN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2007/12/18 16:47
S65	0	("7117380").URPN.	USPAT	OR	OFF	2007/12/18 16:47
S66	12	S62 S64	US-PGPUB ; USPAT; USOCR	OR	OFF	2007/12/18 16:48
S67	8	S66 and 713/3$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2007/12/18 16:48
S68	0	idle near3 longest and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 17:00
S69	2	inactive near3 longest and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/12/18 17:00

12/19/07 11:08:19 AM

Page 8

C:\Documents and Settings\mconnolly\My Documents\EAST\Workspaces\10\10830217RCE1 - substitute high power device with lower pow